

ROUTER NUMBER

FIG.1




FIG.2




FIG.3

GROUP ADDRESS	(RECEIVER PORT, RECEIVER VLAN) LIST
224.1.1.1	(1,1)
224.1.1.2	(1,1)
224.1.1.3	(1,1)

FIG.4

DESTINATION ADDRESS	SUBNET MASK	OUTPUT PORT	OUTPUT VLAN
192.168.1.0	255.255.255.0	1	11
192.168.2.0	255.255.255.0	1	12
192.168.3.0	255.255.255.0	1	13

10020224-121801

TO STAR "ME20200T

FIG.5

DA(6 BYTES)	SA(6 BYTES)	Type(2 BYTES)	IP DATA	FCS

FIG.6

DA (6 BYTES)	SA (6 BYTES)	TPID(2 BYTES)	TCI(2 BYTES)	Type(2 BYTES)	IP DATA	FCS

FIG.7

3 bit	1bit	12 bit
user_priority	CFI	VID

FIG.8

DESTINATION MAC	VLAN	LEARNING PORT
00:80:AA:00:01:02	11	1
00:80:AA:00:01:05	12	2
00:80:AA:00:01:06	13	3

FIG.9

GROUP ADDRESS	RECEIVER PORT LIST
224.1.1.1	1,2
224.1.1.2	2,3
224.1.1.3	1,2,3

1062624.121801

FIG.10




FIG.11




FIG.12

PORT NUMBER	Port VLAN ID (FRAME WITHOUT TAG)
1	1
2	2
3	3

10026224-121801

FIG.13





FIG.14



10026224, 121801

FIG.15

